

**Material Safety Data Sheet  
Topramezone 1% + Atrazine 24% OD****1. PRODUCT IDENTIFICATION**

Product Name: Topramezone 1% + Atrazine 24%  
Common Name: Topramezone; Nicosulfuron; Atrazine  
Chemical Family: N/A (Topramezone)  
                  1,3,5-triazine (Atrazine)  
Chemical Formula: C<sub>16</sub>H<sub>17</sub>N<sub>3</sub>O<sub>5</sub>S (Topramezone)  
                  C<sub>8</sub>H<sub>14</sub>ClN<sub>5</sub> (Atrazine)  
Chemical Name: [3-(4,5-dihydro-1,2-oxazol-3-yl) -4-mesyl-*o*-tolyl] (5-hydroxy-1-methyl pyrazol -4-yl)methanone e (Topramezone)  
                  6-chloro-*N*<sup>2</sup>-ethyl-*N*<sup>4</sup>-isopropyl-1,3,5-triazine-2,4-diamine (Atrazine)  
CAS No.: 210631-68-8 (Topramezone)  
                  1912-24-9 (Atrazine)  
Product Use: Herbicide

**2. COMPANY IDENTIFICATION:****Exporter:**

CHICO CROP SCIENCE CO., LTD.

Add: Rm 903, Unit C, Tian An International Bldg., Renmin South Rd.,  
Shenzhen, China.

Tel: 86-755-22969199 Fax: 86-755-25919993

E-mail: chico1@chicocrop.com

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Ingredient Name</u>	<u>CAS Registry Number</u>	<u>Typical Wt. w/w</u>
Topramezone	210631-68-8	1.0%
Atrazine	1912-24-9	24.0%
Inert	-	to balance

**4. HAZARDS IDENTIFICATION****Emergency Overview**

Off-white liquid

**CAUTION!**

KEEP OUT OF REACH OF CHILDREN

MAY CAUSED SKIN IRRITATION

MAY CAUSED EYE IRRITATION

## Potential Health effects

Dermal contact, ingest and inhalation of the product are the primary routes to induce potential adverse health effects.

## 5. FIRST AID MEASURES

If swallowed: Rinse mouth with water. Never give anything by mouth to an unconscious person. Should be send to the hospital treatment immediately.

If in eye: Hold eyelids apart and flush eyes with plenty of water for at least 15—20 minutes. Consult a physician.

If on skin: Wash with plenty of soap and water, including hair and under fingernails. Do not apply any medicating agents except on the advice of a physician. Remove contaminated clothing and decontaminate prior to use.

If Inhaled: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.

Notes to Physician: There is no specific antidote, Treat symptomatically.

## 6. FIRE FIGHTING MEASURES

### Fire and explosive Properties

Auto-Ignition Temperature No available

Flash Point No available

### Extinguishing Media

Water fog, Carbon Dioxide, Dry Chemical, foam.

### Fire Fighting Instructions

The product is not flammable. But if firing, fire fighters and others who may be exposed to products of combustion should wear full firefighting turn out gear and self-contained breathing apparatus. Firefighting equipment should be thoroughly decontaminated after use. Person who may have been exposed to contaminated smoke should be immediately examined by a physician and checked for symptoms of poisoning. The symptoms should not be mistaken for heat exhaustion or smoke inhalation.

## 7. ACCIDENTAL RELEASE MEASURES

## In Case of Spill or Leak

Stop the leak, if possible. Ventilate the space involved. Absorb, sweep up, place in container for disposal. Shut off or remove all ignition sources. Prevent waterway contamination. Construct a dike to prevent spreading. Protect works with water spray. Collect run-off water and transfer to drums or tanks for later disposal.

## 8. HANDLING AND STORAGE

### Handling

Harmful if swallowed, inhaled, or absorbed through the skin. Causes eye irritation. Do not breathe gas or allow to get in eyes, on skin, or on clothing. Wash hands, arm and face thoroughly with soap and warm water after use and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not contaminate feed or food items. Keep out of reach of children.

### Storage

Store in a cool dry and air ventilating warehouse and protected from light. Avoid contacting with food, feed stuff and seed.

## 9. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye/Face Protection

Goggles and full-face shield should be used when needed to prevent fungicide from face and getting into the eyes.

### Skin Protection

Avoid skin contact. Use chemical-resistant gloves, and wear long sleeves and trousers to prevent dermal exposure.

### Respiratory Protection

Under normal handling conditions no respiratory protection is needed. However, if needed to prevent respiratory irritation, either a respirator approved for dusts and mists, or one approved for pesticides.

## 10. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Off-white
Physical state:	Liquid
Odor:	Not obvious odor
pH:	5.0-8.0
Melting point	220.9–222.2 °C (Topramezone) 175.8 °C (Atrazine)

Boiling point:	N/A (Topramezone) 205.0 °C/101 kPa (Atrazine)
Vapor pressure:	$<1 \times 10^{-7}$ mPa (20–25 °C). (Topramezone) $3.85 \times 10^{-2}$ mPa (25 °C) (OECD 104) (Atrazine)
Solubility in water:	In water 510 mg/l (pH 3.1), >100 g/l (pH >9.0) (both 20 °C). (Topramezone) In water 33 mg/l (pH 7, 22 °C). (Atrazine)
Solubility in organic solvents:	In isopropanol, acetone, acetonitrile, <i>n</i> -heptane, ethyl acetate, toluene <1.0, methylene chloride 2.5–2.9, DMF 11.4–13.3 (all in g/100 ml, 20 °C) (EC DAR). (Topramezone) In ethyl acetate 24, acetone 31, dichloromethane 28, ethanol 15, toluene 4.0, <i>n</i> -hexane 0.11, <i>n</i> -octanol 8.7 (all in g/l, 25 °C). (Atrazine)
Partition coefficient:	$K_{ow} \log P = -0.81$ (pH 4); -1.52 (pH 7); -2.34 (pH 9) (all 20 °C, 99.9%) (Topramezone) $K_{ow} \log P = 2.5$ (25 °C) (Atrazine)

## 11. STABILITY AND REACTIVITY

### Stability

Stable in aqueous solution for 5 d (pH 4, 7 and 9, 50 °C) and for 30 d (pH 5, 7 and 9, 25 °C). Photolytically stable for 17 d in sterile aqueous solution (pH 5 and 9, 22 °C). (Topramezone) Relatively stable in neutral, weakly acidic and weakly alkaline media. Rapidly hydrolyzed to the hydroxy derivative in strong acids and alkalis, and at 70 °C in neutral media; DT<sub>50</sub> (pH 1) 9.5, (pH 5) 86, (pH 13) 5.0 d. (Atrazine)

### Hazardous Polymerization

Does not occur.

### Incompatibility

It is not compatible with strong oxide materials.

### Hazardous Decomposition Products

Carbon oxides, Nitrogen oxides (NO<sub>x</sub>), Sulfur oxides, Hydrogen chloride gas

## 12. TOXICOLOGICAL INFORMATION

<b>Acute Oral:</b>	Acute oral LD <sub>50</sub> for rats >2000 mg/kg. (Topramezone) Acute oral LD <sub>50</sub> for rats 1869–3090 mg tech./kg, mice >1332–3992 mg/kg. (Atrazine)
<b>Acute Dermal:</b>	Acute dermal LD <sub>50</sub> for rats >2000 mg/kg. (Topramezone)

- Irritation:** Acute percutaneous LD<sub>50</sub> for rats >2000 mg/kg. (Atrazine)  
Slight eye and skin irritant. (Topramezone)
- Sensitization:** Non-irritating to skin; minimally irritating to eyes (rabbits). (Atrazine)  
Not a skin sensitizer. (Topramezone)
- Long-term Studies:** NOEL for male rats 0.4 mg/kg b.w. daily. (Topramezone)  
NOEL (2 y) for rats 70 ppm (3.5 mg/kg daily), for dogs 150 mg/kg diet (5.0 mg/kg daily), for mice 10 mg/kg diet (1.4 mg/kg daily), NOAEL 38.4 mg/kg b.w. daily. (Atrazine)

## 13. ECOLOGICAL INFORMATION

### Ecotoxicological Information

- Effects on Birds:** Acute oral LD<sub>50</sub> for bobwhite quail >2000 mg/kg b.w. LC<sub>50</sub> for bobwhite quail >1085, mallard ducks >1680 mg/kg b.w. daily. (Topramezone)  
Acute oral LD<sub>50</sub> for bobwhite quail 940, for mallard ducks and Japanese quail >2000 mg/kg. Dietary LC<sub>50</sub> (8 d) for Japanese quail >5000, mallard duck >1563 mg/kg. (Atrazine)
- Effects on Fish:** LC<sub>50</sub> (96 h, static) for rainbow trout >100 mg/l. (Topramezone)  
LC<sub>50</sub> (96 h) for rainbow trout 11.0, guppies 4.3 mg/l. (Atrazine)
- Effects on Daphnia:** LC<sub>50</sub> (48 h) >100 mg/l. (Topramezone)  
EC<sub>50</sub> (48 h) ≥29. (Atrazine)
- Effects on Algae:** E<sub>b</sub>C<sub>50</sub> (96 h, static) for *Navicula pelliculosa* 47.0 mg/l. (Topramezone)  
EC<sub>50</sub> (72 h) for *Scenedesmus subspicatus* 0.043 mg/l, EC<sub>50</sub>(96 h) for *Pseudokirchneriella subcapitata* 0.01 mg/l. (Atrazine)
- Effects on Bees:** LD<sub>50</sub> (oral) >72.05 µg/bee; (contact) >100 µg/bee. (Topramezone)  
LD<sub>50</sub> (oral) >97 µg/bee; (contact) >100 µg/bee. (Atrazine)

### Chemical Fate Information

- Animals:** Rapidly excreted. Poorly metabolized; parent compound is the main component of residue. (Topramezone)  
In mammals, following oral administration, atrazine is rapidly and completely metabolized, primarily by oxidative dealkylation of the amino groups, and by reaction of the chlorine atom with endogenous thiols. Diamino chlorotriazine is the main primary metabolite, which readily conjugates with glutathione. More than 50% of the dose is eliminated in the urine and around 33% in the faeces within 24 hours. (Atrazine)
- Plants:** Parent is the main residue. (Topramezone)  
Degraded rapidly in maize, DT<sub>50</sub> 1.5–4.5 d. Residues <0.02 ppm in all crops.

In tolerant plants, atrazine is readily metabolized to hydroxy atrazine and amino acid conjugates, with further decomposition of hydroxy atrazine by degradation of the side-chains and hydrolysis of the resulting amino acids on the ring, together with evolution of CO<sub>2</sub>. In sensitive plants, unaltered atrazine accumulates, leading to chlorosis and death. (Atrazine)

**Soli/Environment:** Lab. DT<sub>50</sub> (20 °C, aerobic) 137–207 d (5 soils); DT<sub>90</sub> (20 °C, aerobic) 466–688 d (4 soils). Field DT<sub>50</sub> 9–81 d (6 soils). In water, DT<sub>50</sub> c. 18 d, DT<sub>90</sub> c. 60 d; in sediment, DT<sub>50</sub> c. 40 d, DT<sub>90</sub> c. 130 d. In air, DT<sub>50</sub> <1.1 d. (Topramezone)  
Main metabolites under all conditions are desethylatrazine and hydroxy atrazine. Field DT<sub>50</sub> 16–1174d (median 38.5 d), the longer values being from cold or dry conditions. In water/sediment system DT<sub>50</sub> 14–20 d in the water and DT<sub>50</sub> 35–80 in the whole system. DT<sub>50</sub> under groundwater conditions 105–>200 d, depending on test system. K<sub>d</sub> 0.2–18 ml/g, K<sub>oc</sub> 39–173 ml/g; desalkylated metabolites had values similar to those of atrazine (K<sub>d</sub> 0.2–8.6 ml/g) whereas hydroxy atrazine (K<sub>d</sub> 1.6–390) was much more strongly adsorbed. (Atrazine)

## 14. DISPOSAL CONSIDERATIONS

### **Waste Disposal**

Pesticide wastes are acutely hazardous. Do not reuse product containers. Dispose product containers, waste containers, residues according local health and environmental regulations.

## 15. TRANSPORT INFORMATION

UN Number: UN 3082

Dangerous Goods Class: 9

Packing Group: III

## 16. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## 17. OTHER INFORMATION

The information contained herein relates only to the specific material identified. We believe that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, express or implied, is made as to the reliability or completeness of the information. Urge persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application.

Chico Crop Science Co., Ltd.

Date: Jan., 20, 2022